
Specifications





Eaton 134837

Eaton Moeller® series PKE32 Fixing bracket (1 set = 20 unit)

General specification	General specifications	
PRODUCT NAME	Eaton Moeller® series PKE Fixing bracket	
CATALOG NUMBER	134837	
MODEL CODE	PKE32-XMB	
EAN	4015081316892	
PRODUCT LENGTH/DEPTH	0.01 mm	
PRODUCT HEIGHT	0.004 mm	
PRODUCT WIDTH	0.02 mm	
PRODUCT WEIGHT	2.4 g	
CERTIFICATIONS	UL 508 IEC/EN 60947-4-1 CSA-C22.2 No. 14 CE	
GLOBAL CATALOG	134837	

Product specification	S
10.10 TEMPERATURE RISE	Not applicable.
10.11 SHORT-CIRCUIT RATING	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.12 ELECTROMAGNETIC COMPATIBILITY	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.13 MECHANICAL FUNCTION	The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.
10.2.2 CORROSION RESISTANCE	Meets the product standard's requirements.
10.2.3.1 VERIFICATION OF THERMAL STABILITY OF ENCLOSURES	Meets the product standard's requirements.
10.2.3.2 VERIFICATION OF RESISTANCE OF INSULATING MATERIALS TO NORMAL HEAT	Meets the product standard's requirements.
10.2.3.3 RESIST. OF INSUL. MAT. TO ABNORMAL HEAT/FIRE BY INTERNAL ELECT. EFFECTS	Meets the product standard's requirements.
10.2.4 RESISTANCE TO ULTRA-VIOLET (UV) RADIATION	Meets the product standard's requirements.
10.2.5 LIFTING	Does not apply, since the entire switchgear needs to be evaluated.
10.2.6 MECHANICAL IMPACT	Does not apply, since the entire switchgear needs to be evaluated.
10.2.7 INSCRIPTIONS	Meets the product standard's requirements.
10.3 DEGREE OF PROTECTION OF ASSEMBLIES	Does not apply, since the entire switchgear needs to be evaluated.
10.4 CLEARANCES AND CREEPAGE DISTANCES	Meets the product standard's requirements.
10.5 PROTECTION AGAINST ELECTRIC SHOCK	Does not apply, since the entire switchgear needs to be evaluated.
10.6 INCORPORATION OF SWITCHING DEVICES AND COMPONENTS	Does not apply, since the entire switchgear needs to be evaluated.

Resources	
BROCHURES	eaton-motor-protective- circuit-breaker-pke-and- communication-modul- pke-brochure- w12107613en-en-us.pdf
	eaton-motor-starters- system-xstart-brochure- br03407001en-en-us.pdf
CATALOGS	eaton-product-overview- for-machinery-catalogue- ca08103003zen-en-us.pdf Product Range Catalog Switching and protecting
	motors
DRAWINGS	eaton-manual-motor- starters-pke32-fixing- bracket-3d-drawing.eps
ECAD MODEL	ETN.134837.edz
INSTALLATION VIDEOS	WIN-WIN with push-in technology
WASTALEZATION VIDEOS	<u>Video Motor Protective</u> <u>Circuit Breaker PKE</u>
SALES NOTES	eaton-pke-modbus-rtu- modul-flyer-fl034008en- en-us.pdf

10.7 INTERNAL ELECTRICAL CIRCUITS AND CONNECTIONS	ls the panel builder's responsibility.
10.8 CONNECTIONS FOR EXTERNAL CONDUCTORS	ls the panel builder's responsibility.
10.9.2 POWER- FREQUENCY ELECTRIC STRENGTH	ls the panel builder's responsibility.
10.9.3 IMPULSE WITHSTAND VOLTAGE	ls the panel builder's responsibility.
10.9.4 TESTING OF ENCLOSURES MADE OF INSULATING MATERIAL	ls the panel builder's responsibility.
ACCESSORY/SPARE PART TYPE	Mounting set
AMBIENT OPERATING TEMPERATURE - MAX	55 °C
AMBIENT OPERATING TEMPERATURE - MIN	-25 °C
EQUIPMENT HEAT DISSIPATION, CURRENT- DEPENDENT PVID	0 W
HEAT DISSIPATION CAPACITY PDISS	0 W
HEAT DISSIPATION PER POLE, CURRENT- DEPENDENT PVID	0 W
FUNCTIONS	For screw fixing to mounting plate
RATED OPERATIONAL CURRENT FOR SPECIFIED HEAT DISSIPATION (IN)	0 A
STATIC HEAT DISSIPATION, NON- CURRENT-DEPENDENT PVS	0 W
PRODUCT CATEGORY	Accessories

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:

Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland

Eaton.com

Follow us on social media to get the latest product and support information.