

Specifications



Photo is representative



Eaton NZMH2-M160

Eaton Series NZM motor protection circuit breaker, NZM2-frame, NZMH2, Thermal-magnetic trip, 1600-2800A delayed, Three-pole, 160A, 690 Vac, 750 Vdc, 85-150 kAIC, Motor protect., Thermomagnetic switch off, 160-200A, Screw

General specifications

PRODUCT NAME	Eaton Series NZM motor protection circuit breaker
CATALOG NUMBER	NZMH2-M160
EAN	4015082813086
PRODUCT LENGTH/DEPTH	5.9 in
PRODUCT HEIGHT	7.2 in
PRODUCT WIDTH	4.1 in
PRODUCT WEIGHT	4.1 lb
WARRANTY	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
COMPLIANCES	Contact Manufacturer



Powering Business Worldwide

Product specifications

AMPERAGE RATING	160 A
VOLTAGE RATING	690 Vac, 750 Vdc
TRIP TYPE	T268
CIRCUIT BREAKER TYPE	NZMH2
FRAME	NZM2
CLASS	Motor protection
SETTING RANGE OL PROTECTOR	160-200A
SHORT-CIRCUIT BREAKING CAPACITY	150 kAIC
INTERRUPT RATING	85-150 kAIC
CONNECTION	Screw
RATED OPERATIONAL CURRENT	55 kW at 230 Vac 110 kW at 400 Vac
NUMBER OF POLES	Three-pole
TRIP RATING	1600-2800 A delayed
SPECIAL FEATURES	Thermomagnetic switch off

Resources

SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - NZMH2-M160
WARRANTY GUIDES	Selling Policy 25-000 - Distribution and Control Products and Services

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

