

Specifications



Eaton NZMN2-M160

Eaton Series NZM motor protection circuit breaker, NZM2-frame, NZMN2, Thermal-magnetic trip, 1600-2800A delayed, Three-pole, 200A, 690 Vac, 750 Vdc, 50 kAIC, Motor protection, 160-200A, Screw, 55 kW at 230 Vac, 110 kW at 400 Vac

General specifications

PRODUCT NAME	Eaton Series NZM motor protection circuit breaker
CATALOG NUMBER	NZMN2-M160
EAN	4015082657246
PRODUCT LENGTH/DEPTH	1.378 in
PRODUCT HEIGHT	1.378 in
PRODUCT WIDTH	1.378 in
PRODUCT WEIGHT	5.126 lb
WARRANTY	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
COMPLIANCES	Contact Manufacturer

Product specifications

AMPERAGE RATING	200 A
VOLTAGE RATING	690 Vac, 750 Vdc
TRIP TYPE	T268
CIRCUIT BREAKER TYPE	NZMN2
FRAME	NZM2
CLASS	Motor protection
ACCESSORIES	Rocker lever, motor drive
SETTING RANGE OL PROTECTOR	160-200A
SHORT-CIRCUIT BREAKING CAPACITY	50 kAIC
INTERRUPT RATING	50 kAIC
CONNECTION	Screw
RATED OPERATIONAL CURRENT	110 kW at 400 Vac 55 kW at 230 Vac
NUMBER OF POLES	Three-pole
TRIP RATING	1600-2800 A delayed

Resources

CATALOGS	Compact circuit-breakers and switch-disconnectors up to 1600 A
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - NZMN2-M160

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

